# **HP Color LaserJet Managed MFP** E78323-E78330 series



Premium color value, maximum uptime, and the strongest security<sup>1</sup> from a smart, streamlined MFP.

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Color LaserJet MFPs to power productivity with a streamlined design that delivers premium color value, maximum uptime, andthe strongest security.

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work

http://www.hp.com/go/learnaboutsupplies



HP Color LaserJet Managed MFP E78323dn - Bundle



HP Color LaserJet Managed MFP E78325dn - Bundle Product 25 ppm



HP Color LaserJet Managed MFP E78330dn - Bundle Product 30 ppm



HP Color LaserJet Managed Flow MFP E78323z -



HP Color LaserJet Managed Flow MFP E78325z -Bundle Product 25 ppm



HP Color LaserJet Managed Flow MFP E78330z -Bundle Product 30 ppm

## Big color. Small cost.

- Print premium, professional-quality documents with vivid color images and graphics for a
- Get consistent, professional quality and performance you count on with Original HP toner cartridges and drums.
- Choose from a range of modular accessories designed to adapt to the needs of workgroups of all sizes.

## Minimal interruptions. Maximum uptime.

- Avoid interruptions with an HP LaserJet Managed MFP designed to be streamlined for maximum productivity.
- Tailor this MFP to the needs of your business with a wide range of paper-handling
- Scan files directly to Microsoft® Office 365 and SharePoint, plus email, USB, and network folders.<sup>2</sup>

# The world's most secure printing 1

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help protect information on the MFP and in transit over the network. Store data on the encrypted hard disk.4
- Continually monitor to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code digitally signed by HP.

## Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 250 pages into the automatic document feeder for fast, unattended scanning.

<sup>1</sup> Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, wish http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims
2 Requires an Internet connection to the printer. Services may require registration. App availability varies by complication. App availability varies by complication. Approached some search of the printers of the print

## Product walkaround

- 1. Hardware Integration Pocket (for connecting accessory and third-party devices)<sup>1</sup>
- 2. Flatbed scanner handles sheets up to 11.7 x 17 inches (297 x 432 mm)
- 3. Easy-access USB port<sup>2</sup>
- 4. 500-sheet output bin

display

- 5. Front door, access to toner cartridges
- 6. Automatic two-sided printing
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock, 2 Hi-Speed USB 2.0 Host ports, Gigabit Ethernet port, Hi-Speed USB 2.0 device port
- 9. 250-sheet ADF supports media sizes up to 11 x 17 inches (A3) (Flow models only)<sup>3</sup> 10. 9.0-inch (22.8 cm) functional touchscreen with 8.0-inch (20.3 cm) color graphics
- 11. Pull-out keyboard (Flow models only)
- 12. Right door, access to print path
- 13. 100-sheet multipurpose tray 1 supports media sizes up to 11 x 17 inches (A3)
- 14. 520-sheet tray 2 supports media sizes up to letter (A4)
- 15. 520-sheet tray 3 supports media sizes up to 11 x 17 inches (A3)
- 16. Optional 2 x 520-sheet dual cassette feeder supports media sizes up to 11 x 17  $\,$



# Series at a glance













Model	HP Color LaserJet Managed MFP E78323dn - Bundle Product 23 ppm	HP Color LaserJet Managed MFP E78325dn - Bundle Product 25 ppm	HP Color LaserJet Managed MFP E78330dn - Bundle Product 30 ppm	HP Color LaserJet Managed Flow MFP E78323z - Bundle Product 23 ppm	HP Color LaserJet Managed Flow MFP E78325z - Bundle Product 25 ppm	HP Color LaserJet Managed Flow MFP E78330z - Bundle Product 30 ppm	
Product number	8GR95A (indirect), 2Z645AW (direct)	8GR96A (indirect), 2Z646AW (direct)	8GR97A (indirect), 2Z647AW (direct)	8GR99A (indirect), 17F15AW (direct)	8GS00A (indirect), 17F16AW (direct)	8GS01A (indirect), 17F17AW (direct)	
Functions	Print, copy, and scan (fax and wireless optional) (all models)						
Print speed (letter and A4, black and color) <sup>4</sup>	Up to 23 ppm	Up to 25 ppm	Up to 30 ppm	Up to 23 ppm	Up to 25 ppm	Up to 30 ppm	
Scan speed (letter and A4, black and color) <sup>5</sup>	80 ppm/160 ipm, simplex/duplex			120 ppm/240 ipm, simplex/duplex			
ADF capacity	100 sheets			250 sheets			
Input capacity	Standard: 1,140 sheets; Maximum: 3,140 sheets (all models)						
Advanced workflow features	Send to Microsoft SharePoint			Same as E78323dn, plus: HP EveryPage technology, pull-out keyboard, auto- tone, auto orientation, autopage-crop, embedded OCR	Same as E78325dn, plus: HP EveryPage technology, pull-out keyboard, auto- tone, auto orientation, autopage-crop, embedded OCR		

<sup>1</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
2 An administrator must enable the easy-access USB port before use.
2 An administrator must enable the easy-access USB port before use.
3 An administrator must enable the easy-access USB port before use.
4 Reasy of the E7800 series Flow models include a 250-sheet ADF. The E78300 series of models include a 100-sheet ADF. The ADF on all devices can scan documents up to 11 x 17 inches (A3).
4 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/golprinterclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
5 Can speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

## **HP Services**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc













## Top features

Quality color printing for a great value is a smart choice for any business. Produce premium, professional-quality color documents at a competitive low cost with an HP Color LaserJet MFP built to make your work—and your business—look its

Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP LaserJet MFP designed for maximum uptime, so you can count on reliable results day in and day out.

Only HP Enterprise printers repair themselves from attacks in real time, with built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP.

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 180 ipm $^5$ —and avoid extra steps with a Flow MFP designed for maximum productivity.

#### Accessories

2EH31A HP MFP Analog Fax Accessory 700 2H31A 2MU47A 2NR09A 2NR12A 2TD64A 3JN69A 3KR68A 3KR68A 4QL32A HP MP ANAIOG FAX ACCESSORY 700
HP Accessibility Assistant
HP 2GB 144-Pin DDR3 TAA Version DIMM
HP Removable Hard Drive Enclosure
HP Accessibility Kit
HP Jetdirect 3100w BLE/NFC/Wireless Accessory HP ADF Separation Pad HP ADF Pick Roller Assembly HP ADF PICK KOUER ASSEMBLY
HP Legic Secure USB Reader
HP TAA Version Secure Hard Disk Drive
HP SYP34A Laser HDD Accessory
HP Jetdirect LAN Accessory
HP Internal USB Ports
HP High-Performance Secure Hard Disk
HP Engine Interface Harnoss 5EL03A 5YP34A 8FP31A B5L28A B5L29A B5L31A CC443B HP Foreign Interface Harness
HP LaserJet MFP Analog Fax Accessory 500
HP SmartCard NIPRNet Solution for US Government
HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM
HP SmartCard SIPRNet Solution for US Government
HP Jetdirect 3000w NFC/Wireless Accessory CC543B F5K49A

#### Supplies

HP LaserJet Image Transfer Kit (Up to 400,000 pages)
HP LaserJet Image Transfer Blade Kit (Up to 200,000 pages)
HP LaserJet Transfer Roller Kit (Up to 200,000 pages)
HP Color LaserJet 8JM70A Black Developer Unit (300,000 pages)
HP Color LaserJet 8JM71A Magenta Developer Unit (300,000 pages)
HP Color LaserJet 8JM72A Yellow Developer Unit (300,000 pages)
HP Color LaserJet 8JM72A (yan Developer Unit (300,000 pages)
HP W9910MC Black Managed LaserJet Toner Collection Unit
HP W9210MC Black Managed LaserJet Toner Cartridge (29,000 pages)
HP W9211MC (yan Managed LaserJet Toner Cartridge (28,000 pages)
HP W9212MC Yellow Managed LaserJet Toner Cartridge (28,000 pages)
HP W9213MC Magenta Managed LaserJet Toner Cartridge (28,000 pages)
HP W9215MC Managed LaserJet Toner Cartridge (28,000 pages)
HP W9220MC Black Managed LaserJet Toner Cartridge (25,000 pages)
HP W9222MC Yellow Managed LaserJet Toner Cartridge (20,000 pages)
HP W9222MC Yellow Managed LaserJet Toner Cartridge (20,000 pages)
HP W9223MC Magenta Managed LaserJet Toner Cartridge (20,000 pages)
HP W9223MC Magenta Managed LaserJet Toner Cartridge (20,000 pages)
HP W3223MC Magenta Managed LaserJet Toner Cartridge (20,000 pages)
HP W3223MC Magenta Managed LaserJet Toner Cartridge (20,000 pages)
HP LaserJet Image Transfer Belt Assembly (400,000 Black & White150,000 Color)
HP LaserJet Trays 2-x Rollers (200,000 Black & White150,000 Color) 5PN63A 5PN64A 5PN65A 8JM70A 8JM71A 8JM72A 8JM73A W9048MC W9211MC W9212MC W9212MC W9212MC W9212MC W9221MC W9222MC W9223MC Z7Y79A Z7Y81A Z7Y83A

### Services

HP 1, 3, 4, 5 Year Next business day onsite contract or carepack-delivery specialists only

HP 1, 3, 4, 5 Year Next business day parts only contract or carepack-hp. HP 1, 3, 4, 5 Year 4 hour same business day onsite contract or carepack-hp. note same day available in AMS. APJ -tbd, EMEA-not available Per event carepack offerings - installation and Maintenance replacement service

<sup>1</sup> Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims
2 Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hp.com/go/printerclaims.
3 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
4 Some features require additional purchase. A Future/Emart service pack update may be required to activate area more at http://www.hp.com/go/printerclaims.
5 Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
6 An FCC Class A emissions compliant device meets the less stringent foliapide) levels of emissions allowed by the CC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment due to the increased risk of interference to radio communications.

# HP Color LaserJet Managed MFP E78323-E78330 series

Model	HP Color LaserJet Managed MFP E78323dn - Bundle Product 23 ppm	HP Color LaserJet Managed MFP E78325dn - Bundle Product 25 ppm	HP Color LaserJet Managed MFP E78330dn - Bundle Product 30 ppm	HP Color LaserJet Managed Flow MFP E78323z - Bundle Product 23 ppm	HP Color LaserJet Managed Flow MFP E78325z - Bundle Product 25 ppm	HP Color LaserJet Managed Flow MFF E78330z - Bundle Product 30 ppm		
Product number	8GS25A	8GS26A	8GS27A	8GS28A	8GS29A	8GS30A		
AIO functions	Print, copy, scan, fax (optional)							
Print								
Print speed, <sup>3</sup> ,	First page out Letter: As fast as 10.5 sec Black; As fast as 13.5 sec Color; First page out A4: As fast as 10.5 sec Black; As fast as 13.5 sec Color; Letter: Up to 23 ppm Black; Up to 23 ppm Color; A4: Up to 23 ppm Black; Up to 23 ppm Color; A9: Up to 23 ppm Color.	First page out Letter: As fast as 10.3 sec Black; As fast as 13 sec Color; First page out A4: As fast as 10.3 sec Black; As fast as 13 sec Color; Letter: Up to 25 ppm Black; Up to 25 ppm Color; A4: Up to 25 ppm Black; Up to 25 ppm Color	First page out Letter: As fast as 8.9 sec Black; As fast as 11.1 sec Color; First page out A4: As fast as 8.9 sec Black; As fast as 11.1 sec Color; Letter: Up to 30 ppm Black; Up to 30 ppm Clor; A4: Up to 30 ppm Black; Up to 30 ppm Color.	First page out Letter: As fast as 10.5 sec Black; As fast as 13.5 sec Color; First page out A4: As fast as 10.5 sec Black; As fast as 13.5 sec Color; Letter: Up to 23 ppm Black; Up to 23 ppm Clor; A4: Up to 23 ppm Black; Up to 23 ppm Color.	First page out Letter: As fast as 10.4 sec Black; As fast as 13.0 sec Color; First page out A4: As fast as 10.4 sec Black; As fast as 13.0 sec Color; Letter: Up to 25 ppm Black; Up to 25 ppm Color; A4: Up to 25 ppm Black; Up to 25 ppm Color; A9: Up to 25 ppm Color.	First page out Letter: As fast as 8.9 sec Black; As fast as 11.1 sec Color; First page out A4: As fast as 8.9 sec Black; As fast as 11.1 sec Color; Letter: Up to 30 ppm Black; Up to 30 ppm Color; A4: Up to 30 ppm Black; Up to 30 ppm Color.		
Print resolution	Black (best) Up to 1200 x 1200 dpi reduced speed; Black (normal) Up to 1200 x 1200 dpi reduced speed Color (best): Up to 1200 x 1200 dpi reduced speed							
Print technology	Laser							
Print cartridges number	4 (1 each black, cyan, magenta, yello							
Standard print languages		vel 3 emulation, PDF (v 1.7), AirPrint™						
Printer smart software features	Quality color printing for a great value is a smart choice for any business. Produce premium, professional-quality color of ocuments at a competitive low cost with an HP Color Laser let MFP business. Produce premium, professional-quality color of ocuments at a competitive low cost with an HP Laser let MFP designed for maximum uptime, so you can count on reliable, results day in and day out. Only HP Enterprise printers repair themselves from attacks in real time, delivering built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP. Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs fast—up to 180 ipm <sup>11</sup> —and avoid extra steps with a Flow MFP designed for maximum productivity.							
Printer management / HP SureSupply	HP Printer Assistant, HP Device Toolbox, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent, HP WS Pro Proxy Agent, Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator);/ Yes							
Scan type / Technology	Type: Flathod ADF: Technology:: C+	act Image Sensor (CIS); Platen Scanner	(CCD): Twain version: Version 2.1					
Scan type / Technology Scan resolution			(CCD), TWAITI VELSION, VELSION 2.1					
Scan file format	Hardware: UP to 600 x 600 dpi; Optical: Up to 600 x 600 dpi  Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)			Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready flies (prn. pct, Life).				
Scan input modes	Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; Open Extensibility Platform (OXP) applications							
Scan Size	ADF: 11.7 x 17.2 in Maximum; 4.3 x 5.5 in Minimum; Flatbed: 11.7 x 17.2 in							
Scan speed <sup>9</sup>	ppm/160 ipm (color) A4; Duplex: Up t	ppm/160 ipm (b&w), up to 80 ppm/160 ipm (color) Letter; Up to 80 ppm/160 ipm (b&w), up to 80 ipm (color) A4; <b>Duplex:</b> Up to 80 ppm/160 ipm (b&w), up to 80 ppm/160 ipm (color) Letter; Up to 80 ipm (baw), up to 80 ppm/160 ipm (color) Letter; Up to 80 ipm (baw), up to 80 ppm/160 ipm (color) Ab ipm (baw), up to 80 ppm/160 ipm (color) Ab ipm (baw), up to 80 ppm/160 ipm (color) Ab ipm (baw), up to 80 ppm/160 ipm (color) Ab ipm (baw), up to 80 ppm/160			Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color) Letter; Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color) Aq; Duplex: Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color) Aq; Duplex: Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (bw), up to 120 ppm/240 ipm (bw), up to 120 ppm/240 ipm (color) Aq			
Scanner advanced features	Scan-to-E-mail, Scan-to-network folder (Istand alone solution); Scan to Cloud, Scan to USB; Scan-to-SharePoint; Windows HP Scan SW supports PDF; Searchable PDF; JPG, RTF, TXT, BMP, PNG, TIFE, MAG, HP, Easy Scan SW supports PDF; SearChable PDF; JPG, RTF, TXT, JPG-2000, PNG, TIFF;	Scan-to-E-mail; Scan-to-network fol Cloud; Scan to USB; Scan-to-SharePo	der (stand alone solution); Scan to int	Scan-to-E-mail; Scan-to-network folder (stand alone solution); Scan to Cloud; Scan to USB; Scan-to-SharePoint; Windows HP Scan SW supports PDF, searchable PDF, IPG, RTF, TXT, BMP, PNG, TIFF, Mac HP Easy Scan SW supports PDF, searchable PDF, IPG, RTF, TXT, IPG-2000, PNG, TIFF;				
Bit depth / Grayscale levels	24-bit / 256							
Digital sending standard features	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to SFTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Compact PDF; Auto Straighten			Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to sFTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR				
Сору								
Copy speed	Letter: Up to 23 cpm Black; Up to 23 cpm Color; First copy out Letter: As fast as 9.3 see Black; As fast as 10.7 sec Color; First copy out A4: As fast as 9.3 see Black; As fast as 10.7 sec Color; 2-sided Letter: Up to 17 cpm Black; Up to 17 cpm B	Letter: Up to 25 cpm Black; Up to 25 cpm Color; A4: Up to 25 cpm Black; Up to 25 cpm Black; Up to 25 cpm Color; First copy out Letter: As fast as 98 sec Color; First copy out A4: As fast as 98.9 sec Color; Zesided Letter: Up to 18 cpm Black; Up t	Letter: Up to 30 cpm Black; Up to 30 cpm Color; A4: Up to 30 cpm Black; Up to 30 cpm Black; Up to 30 cpm Black; Up to 30 cpm Color; First copy out Letter: As fast as 7.9 sec Black; As fast as 8.5 sec Color; First copy out A4: As fast as 7.9 sec Black; As fast as 8.5 sec Color; Z-sided Letter: Up to 21 cpm Black; Up to 21 cpm	Letter Up to 23 cpm Black; Up to 23 cpm Color; A4: Up to 23 cpm Black; Up to 23 cpm Black; Up to 23 cpm Black; Up to 23 cpm Set Stack; A5 fast as 10.7 sec Color; First copy out A4: A5 fast as 9.3 sec Black; A5 fast as 10.7 sec Color; 2-sided Letter: Up to 17 cpm Black; Up to 18 cpm Black; Up to 19 cpm Bla	Letter: Up to 25 cpm Black; Up to 25 cpm Color; A4: Up to 25 cpm Black; Up to 25 cpm Black; Up to 25 cpm Color; First copy out Letter: As fast as 9.8 sec Black; As fast as 9.8 sec Color; First copy out A4: As fast as 8.7 sec Black; As fast as 9.9 sec Color; 2-sided Letter: Up to 18 cpm Black; Up to 18 cpm Black; Up to 18 cpm Black; Up to 18 cpm Color 2-sided A4: Up to 18 cpm Black; Up to 18 cpm Color	Letter: Up to 30 cpm Black; Up to 30 cpm Color; A4: Up to 30 cpm Black; Up to 30 cpm Black; Up to 30 cpm Slack; Up to 30 cpm Color; First copy out Letter: As fast as 5.9 sec Color; First copy out A4: As fast as 7.9 sec Black; As fast as 8.5 sec Color; 2-sided Letter: Up to 21 cpm Black; Up to 21 cpm Color 2-sided A4: Up to 21 cpm Black; Up to 21 cpm Color 2-sided A4: Up to 21 cpm Black; Up to 21 cpm Bla		
Copy resolution	Color (text and graphics): Up to 600 x	600 dpi						
Maximum Number of Copies	Up to 9999 copies							
Copier resize	25 to 400%							
Copier settings	Two-sided copying: scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collation; booklet, ID scan; job build; job storage; watermark; stamps; book mode scans; erase edges; automatically detect color/monochrome; image preview							
Fax								
Fax speed <sup>2</sup>	Up to:33.6 kbps / Letter:3 sec per pag							
Fax resolution	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi							
Fax Features		only); Fax telephone mode supported:		stinctive ring detection supported: No; Fo num speed dialing numbers: Up to 1000				
Connectivity	Laure mena	11000000 . 400	lano la cont	0.1.				
Standard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket							
	Standard (built-in Gigabit 10/100/1000/TEthernet)  No uniform conditions the product of the prod							
Network capabilities	ino wireless capabilities standard. The	reless capabilities standard. There are optional accessories (common to all current Jedi products) that suppor			t wheress, these are listed in the connectivity section, above.			
Wireless capability	UD Cmart App and other mobil - *							
Wireless capability Mobile printing capability <sup>4</sup>	HP Smart App and other mobile Apps Standard: 6 GB: Maximum: 7 GB			Standard: 7 GR: Mavimum: 0 GD	Standard: 8 GB: Mavimum: 0 GD			
Wireless capability	Standard: 6 GB; Maximum: 7 GB  1.2 GHz / Hard disk: 16 GB encrypted Standard (located on engine main boo Disk; AES 256 hardware encryption o	Standard: 7 GB; Maximum: 7 GB  eMMC (located on formatter board for ard for copy/scan functions), embedder greater; Secure erase capabilities (Secase-Disk). Note: U.S. government SKU	d HP High-Performance Secure Hard ture File Erase-Temporary Job Files,	256 hardware encryption or greater;	Standard: 8 GB; Maximum: 8 GB ndard, embedded HP High-Performanc Secure erase capabilities (Secure File E kk). Note: U.S. government SKU uses 50	e Secure Hard Disk, Total 1000 GB; AES rase-Temporary Job Files, Secure 10 GB FIPS 140-2 validated hard disk		

## Contact us to request a quote.

978.774.5400









# HP Color LaserJet Managed MFP E78323-E78330 series

Model	HP Color LaserJet Managed MFP E78323dn - Bundle Product 23 ppm	HP Color LaserJet Managed MFP E78325dn - Bundle Product 25 ppm	HP Color LaserJet Managed MFP E78330dn - Bundle Product 30 ppm	HP Color LaserJet Managed Flow MFP E78323z - Bundle Product 23 ppm	HP Color LaserJet Managed Flow MFP E78325z - Bundle Product 25 ppm	HP Color LaserJet Managed Flow MF E78330z - Bundle Product 30 ppm		
roduct number	8GS25A	8GS26A	8GS27A	8GS28A	8GS29A	8GS30A		
Paper handling								
nput	to 100 sheets; Tray 2 & 3: up to 520	O-sheet input tray, 100 sheet ADF; Up sheets Standard; Up to 10 envelopes (C	20-sheet input tray, 250 sheet ADF; Up eets Standard; Up to 10 envelopes (Onl					
Output	Standard: 500 sheet face-down outp	ut bin; Up to 500 sheets Standard						
Ouplex Options	Automatic (standard)							
Auto document feeder capacity	Standard, 100 sheets			Standard, 250 sheets				
Envelope feeder	No							
Standard paper trays	3							
Media types	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, Cardstock 176-220g, Labels, Letterhead, Envelope, Preprinted, Prepunched, Colored							
4edia weight	Tray 1: 16 to 46 lb bond; Tray 2, 3: 16	5 to 58 lb bond						
Media sizes		ive, Statement, Oficio, 11 x 17, 4 x 6, 5 x ive, Statement, Oficio, 11 x 17, 8k, 16k	x 7, 5 x 8,10 x 15, 8k, 16k, envelope #9	, Envelope #10, Envelope Monarch, Tra	y 2: Letter, Letter R, Legal, Executive, S	tatement, Oficio, 4 x 6, 5 x 7, 5 x 8, 16		
Media Sizes Custom		Fray 2: 5.48 x 8.27 to 11.69 x 14.33 in;	,					
Dimensions (w x d x h)		379 mm; <b>Maximum:</b> 45 x 50 x 51.2 in; 1			7.5 mm; <b>Maximum:</b> 47 x 50 x 54.5 in; 1	194 x 1270 x 1384.3 mm		
Weight	242.5 lb; 110.0 kg	242.5 lb; 110.0 kg	242.5 lb; 110.0 kg	275.6 lb; 125.0 kg				
What's in the box <sup>1</sup>	Engine; TCU; Drums; Assy-Color WG N	Nameplate and Label; Power Cords; Har	dware install and setup documentation	; Support flyers; (APJ only) Introductory	cartridges			
Replacement cartridges <sup>8</sup>	HP Black Managed LJ Toner Cartridge (ISO Yield 29,000) W9210MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 28,000) W9211MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 28,000) W9212MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 28,000) W9213MC							
Warranty features	90 day parts only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.							
Energy star certified	Yes							
Energy efficiency compliance	EPEAT® Silver; ENERGY STAR® qualifie	ed						
Control panel	9.0-in (22.8 cm) functional touchscreen with 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); USB High-speed							
Display	8.0-in (20.3 cm) touchscreen, SVGA (	color Graphic Display (CGD)						
Software included	No software solutions are included in	the Box only on http://hp.com, http://	123.hp.com					
Compatible operating systems	Windows Client OS (32/64 bit)., Win 10, Win 8.1, Win 7 Ultimate, Mobile OS-, iOS, Android, Mac-, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Apple® macOS Catalina v10.15, Discrete PCL6 Printer Driver-, For mor information on the supported operating systems go to http://support.hp.com, Enter your product name and search for the Supported Operating systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems see www.hp.com/go/upd							
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2016 64-bit, Windows Server 2016 64-bit, Windows Server 2016 64-bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell Print server, Citrix Ready fix (Ertification - Up to Citrix Server 7.18 for more information see http://levideopers.hp.com/p-linux-imaging-and-printing, Unix-For more information see http://levideopers.hp.com/p-linux-imaging-and-printing, Unix-For more information see http://lp.com/go/unix-modelscripts, UPD PCL6 / PS Printer Drivers-, For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search, Click on User Guide, Search for your (Product Name) - User Guide, Search for User Guide, Search Server 2016 64-bit, Windows Server 2016 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Citrix XenApp & XenDesktop X							
Minimum system			owser. For additional OS hardware requ	uirements see microsoft.com;;				
requirements		Internet connection or USB port, OS ha		12		12		
Power <sup>11</sup>	Power supply type: Internal (Built-in) power supply, Power supply required: Input voltage: 110 to 127Vac (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%); Power consumption: 05- 577 watts (printing), 44 watts (ready), 12 watts (sleep), 0.7 watts (final sleep), 0.01 watts (sff); Typical electricity consumption (TEC) number: 0.982 kWh/Week (Energy Star 3.0); Best technical electricity consumption (TEC)	Power supply type: Internal (Bull-in) power supply: Power supply required: input voltage: 110 to 127Vac (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%); Power consumption 10.6; 629 watts (printing), 44 watts (ready), 12 watts (sleep), 0.7 watts (Final sleep), 0.01 watts (off): Typical electricity consumption (TEC) number: 1.086 kWh/Week (Blue Angell; 0.253 kWh/Week (Energy Star 3.0); Best technical electricity consumption (TEC): 1.086 kWh/Week	Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 110 to 127/ac (+/- 10%), 220 to 240/ac (+/- 10%), 50/60 Hz (+/- 3%); Power consumption: 05- 682 watts (printing), 44 watts (ready), 1.2 watts (sleep), 0.7 watts (final sleep), 0.01 watts (sfir); Yupical electricity consumption (TEC) number: 1.370 kWh/Week (Energy Star 3.0); Best technical electricity consumption (TEC) to sumption (TEC): 1.370 kWh/Week (Energy Star 3.0); Best technical electricity consumption (TEC): 1.370 kWh/Week	Power supply type: Internal (Built-in) power supply, Power supply required: Input voltage: 110 to 127Vac (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%); Power consumption: 0.5; 577 watts (printing), 44 watts (ready), 1.2 watts (sleep), 0.7 watts (final sleep), 0.01 watts (sfir); Yipical electricity consumption (TEC) number: 0.982 kWhl/Week (Elnergy Star 3.0); Best technical electricity consumption (TEC) consumption	Power supply type: Internal (Bull-in) power supply. Power supply required: Input voltage: 110 to 127Vac (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%); Power consumption 10.6; 62.9 watts (printing), 44 watts (ready), 1.2 watts (sleep), 0.7 watts (Final sleep), 0.01 watts (sleft); Typical electricity consumption (TEC) number: 1.086. kWh//Week (Elnergy Star 3.0); Best technical electricity consumption (TEC) tonsumption (TEC) tonsumption (TEC) tonsumption (TEC) tonsumption (TEC) tonsumption (TEC).	Power supply type: Internal (Built-in power supply; Power supply; Power supply required: Input voltage: 110 to 127Vac (+/- 10%), 220 to 240Vac (+/- 10%), 5.0/60 Hz (+/- 3%); Power consumption (**SeB* watts (printing), 44 watts (ready), 12 watt (sleep), 0.7 watts (first Typical electricity consumption (TEC) number: 1.370 kWh/l/Week (Blue Angel); 0.431 kWh/Week (Energy Star 3.0); Best technical electricity consumption (TEC): 1.370 kWh/Week		
Acoustics	Acoustic power emissions: 6.3 B(A), ADF scan color simplex A4 at 80 ipm; 6.3 B(A), ADF scan color Duplex A4 at 120 ipm	Acoustic power emissions: 6.3 B(A), ADF scan color simplex A4 at 80 ipm; 6.3 B(A), ADF scan color Duplex A4 at 120 ipm	Acoustic power emissions: 6.3 B(A), ADF scan color simplex A4 at 80 ipm; 6.3 B(A), ADF scan color Duplex A4 at 120 ipm	Acoustic power emissions: 6.3 B(A), ADF scan color simplex A4 at 120 ipm; 6.3 B(A), ADF scan color Duplex A4 at 240 ipm	Acoustic power emissions: 6.3 B(A), ADF scan color simplex A4 at 120 ipm; 6.3 B(A), ADF scan color Duplex A4 at 240 ipm	Acoustic power emissions: 6.7 B(A) printing color simplex A4 at 30 ppn		
Operating environment	Operating temperature range: 59 to 86°F; Recommended operating temperature: 59 to 86°F; Storage temperature range: 14 to 104°F; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 20 to 80% RH							
	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in							

Contact us to request a quote.







- No, please purchase USB cable separately (EMEA, Americas; AP) (Service Technician must install units)
   Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17
   Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
   Optional Wireless Direct and Wireless
- opuolina whitesas brack a rial writera. For more information, visit http://www.hp.com/go/learnaboutsupplies Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies Actual yields vary considerably based on images printed and
- The details see http://www.hp.com/go/learnaboutsupplies Actual yieus vary considerably dased on miage sprinted and outer factors. For details see http://www.hp.com/go/learnaboutsupplies for providing for the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

  The assured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

  Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.

  Scan speeds measured from ADF. Actual processing speeds may yet depending on scan resolution, network conditions, computer performance, and application software.

  Dever requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

  Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.

# Contact us to request a quote.



978.774.5400 info@archimediasg.com www.archimediasg.com



617.782.3800 sales@makepeace.com www.asg-companies.com



603.889.7610 sales@imtek.com
www.asg-companies.com

Archimedia Solutions Group, LLC Companies

# To learn more, visit hp.com

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

